

## Flow 300

Revision date: 27.11.2024

Page 1 of 13

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Flow 300

#### Prod.-No.

##### Further trade names

4501-2024 Flow 300 pastellgelb  
4502-2024 Flow 300 blau - 40410,40412,40411  
4503-2024 Flow 300 extraweiss - 40400,40402,40401  
4506-2024 Flow 300 apricot - 40440,40442,40441  
4507-2024 Flow 300 grau - 40448,40477,40446  
4509-2024 Flow 300 hellgrau  
4513-2024 Flow 300 türkis - 40451,40450,40449  
4514-2024 Flow 300 lila  
4527-2024 Flow 300 terracotta - 40430,40432,40431  
4528-2024 Flow 300 gelb - 40420,40422,40421

Sockelgips, Sockelgips flüssig, HobbyPlus Flüssiggips

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### Use of the substance/mixture

Dental stone / for creating bases for dental arches and saw-cut models

##### Uses advised against

all uses which are not mentioned above

#### 1.3. Details of the supplier of the safety data sheet

Company name:	OBG Oberbergische Gipswerke GmbH	
Street:	Büchlerhausen 22	
Place:	D-51766 Engelskirchen	
Telephone:	+49 2263 92905 35	Telefax: +49 2263 92905 36
E-mail:	info@obg-gmbh.com	
Contact person:	Zentrale	Telephone: +49 2263 92905 35
E-mail:	info@obg-gmbh.com	
Responsible Department:	management	

**1.4. Emergency telephone number:** +49 2263 92905 35 (Mo-Fr 07:00-17:00 Uhr)

#### Further Information

No information available.

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### GB CLP Regulation

This mixture is not classified as hazardous in accordance with GB CLP Regulation.

#### 2.2. Label elements

##### GB CLP Regulation

##### Special labelling of certain mixtures

EUH210 Safety data sheet available on request.  
EUH212 Warning! Hazardous respirable dust may be formed when used. Do not breathe dust.

#### 2.3. Other hazards

## Flow 300

Revision date: 27.11.2024

Page 2 of 13

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

This product does not contain a substance that has endocrine disrupting properties with respect to humans as no components meets the criteria. This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

Advices on safe handling: Avoid dust formation.

### SECTION 3: Composition/information on ingredients

#### 3.2. Mixtures

##### Relevant ingredients

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (GB CLP Regulation)			
50-00-0	Formaldehyde ... %			< 0.1 %
	200-001-8	605-001-00-5	01-2119488953-20	
	Carc. 1B, Muta. 2, Acute Tox. 2, Acute Tox. 3, Acute Tox. 3, Skin Corr. 1B, Eye Dam. 1, Skin Sens. 1; H350 H341 H330 H311 H301 H314 H318 H317			

Full text of H and EUH statements: see section 16.

##### Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc. Limits, M-factors and ATE		
50-00-0	200-001-8	Formaldehyde ... %	< 0.1 %
	inhalation: LC50 = < 463 mg/l (vapours); inhalation: ATE = 0,05 mg/l (dusts or mists); dermal: ATE = 300 mg/kg; oral: LD50 = 460 mg/kg Skin Corr. 1B; H314: >= 25 - 100 Skin Irrit. 2; H315: >= 5 - < 25 Eye Irrit. 2; H319: >= 5 - < 25 Skin Sens. 1; H317: >= 0,2 - 100 STOT SE 3; H335: >= 5 - 100		

##### Further Information

No information available.

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

##### General information

Take off contaminated clothing and wash it before reuse.

Provide fresh air.

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

##### After inhalation

Remove person to fresh air and keep comfortable for breathing. Put victim at rest, cover with a blanket and keep warm. If unconscious but breathing normally, place in recovery position and seek medical advice.

##### After contact with skin

Take off contaminated clothing and wash it before reuse.

After contact with skin, wash immediately with plenty of water and soap.

If skin irritation occurs: Get medical advice/attention.

##### After contact with eyes

Protect uninjured eye. Rinse immediately carefully and thoroughly with eye-bath or water. (10-15 min) In case of eye irritation consult an ophthalmologist.

##### After ingestion

Rinse mouth thoroughly with water. Let 1 glass of water be drunken in little sips (dilution effect). Never give

## Flow 300

Revision date: 27.11.2024

Page 3 of 13

anything by mouth to an unconscious person or a person with cramps.  
Do NOT induce vomiting.

### **4.2. Most important symptoms and effects, both acute and delayed**

Reference to other sections: 2, 11

### **4.3. Indication of any immediate medical attention and special treatment needed**

First Aid, decontamination, treatment of symptoms.

## **SECTION 5: Firefighting measures**

### **5.1. Extinguishing media**

#### **Suitable extinguishing media**

Co-ordinate fire-fighting measures to the fire surroundings.

#### **Unsuitable extinguishing media**

No information available.

### **5.2. Special hazards arising from the substance or mixture**

No known hazardous decomposition products.

### **5.3. Advice for firefighters**

The product is not: Combustible

#### **Additional information**

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

## **SECTION 6: Accidental release measures**

### **6.1. Personal precautions, protective equipment and emergency procedures**

#### **General advice**

See protective measures under point 7 and 8.  
Wear personal protection equipment (refer to section 8).  
Provide adequate ventilation. Do not breathe dust.  
Avoid dust formation. Measures to prevent aerosol and dust generation  
Clear spills immediately.  
Avoid contact with skin, eyes and clothes.

#### **For non-emergency personnel**

Remove persons to safety. Keep away from unprotected people. Keep upwind.

#### **For emergency responders**

Knock down dust with water spray jet. The danger areas must be delimited and identified using relevant warning and safety signs.

### **6.2. Environmental precautions**

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

### **6.3. Methods and material for containment and cleaning up**

#### **For containment**

Stop leak if safe to do so.  
Take up dust-free and set down dust-free.  
Take up mechanically, placing in appropriate containers for disposal.  
Dispose of waste according to applicable legislation.  
Don't store containers without labelling.

#### **For cleaning up**

For cleaning up: Clean with detergents. Avoid solvent cleaners.  
Do not use a brush or compressed air for cleaning surfaces or clothing.  
Use approved industrial vacuum cleaner for removal.

#### **Other information**

Provide fresh air.

### Flow 300

Revision date: 27.11.2024

Page 4 of 13

Refer to manufacturer or supplier for information on recovery or recycling.

#### **6.4. Reference to other sections**

See protective measures under point 7 and 8.

Disposal: see section 13

### **SECTION 7: Handling and storage**

#### **7.1. Precautions for safe handling**

##### **Advice on safe handling**

Wear personal protection equipment (refer to section 8).

Avoid contact with skin, eyes and clothes.

Always close containers tightly after the removal of product.

dust formation/ Avoid dust formation. Measures to prevent aerosol and dust generation

Floors, walls and other surfaces in the hazard area must be cleaned regularly.

Ventilate affected area. In case of inadequate ventilation wear respiratory protection.

Carry out filling operations only at stations with exhaust ventilation facilities.

Avoid release to the environment. Do not allow to enter into surface water or drains.

##### **Advice on protection against fire and explosion**

Usual measures for fire prevention.

##### **Advice on general occupational hygiene**

Minimum standard for preventive measures while handling with working materials are specified in the TRGS 500. (Germany)

Work in well-ventilated zones or use proper respiratory protection.

Only wear fitting, comfortable and clean protective clothing.

Avoid contact with skin, eyes and clothes.

When using do not eat, drink, smoke, sniff.

Wash hands before breaks and after work.

Take off contaminated clothing and wash it before reuse.

Make available sufficient washing facilities

Apply skin care products after work.

##### **Further information on handling**

Obtain, read and follow all safety instructions before use.

Observe technical data sheet.

#### **7.2. Conditions for safe storage, including any incompatibilities**

##### **Requirements for storage rooms and vessels**

Keep/Store only in original container.

Keep container tightly closed and in a well-ventilated place.

Store in a dry place.

Restrict access to stockrooms.

Unsuitable container/equipment material: Aluminium

##### **Hints on joint storage**

Keep away from: Food and feedingstuffs

Do not store together with: Reducing agent, strong

Aluminium Powder

##### **Further information on storage conditions**

Keep away from: Humidity

#### **7.3. Specific end use(s)**

No information available.

### **SECTION 8: Exposure controls/personal protection**

### Flow 300

Revision date: 27.11.2024

Page 5 of 13

#### 8.1. Control parameters

##### Exposure limits (EH40)

CAS No	Substance	ppm	mg/m <sup>3</sup>	fibres/ml	Category	Origin
-	Dust, inhalable	-	10		TWA (8 h)	WEL
-	Dust, respirable	-	4		TWA (8 h)	WEL
50-00-0	Formaldehyde	2	2.5		TWA (8 h)	WEL
		2	2.5		STEL (15 min)	WEL
13463-67-7	Titanium dioxide, respirable	-	4		TWA (8 h)	WEL

##### DNEL/DMEL values

CAS No	Substance	Exposure route	Effect	Value
13463-67-7	titanium dioxide			
	Worker DNEL, long-term	inhalation	local	1,25 mg/m <sup>3</sup>
	Consumer DNEL, long-term	oral	systemic	700 mg/kg bw/day
50-00-0	Formaldehyde ... %			
	Worker DNEL, long-term	inhalation	systemic	9 mg/m <sup>3</sup>
	Worker DNEL, long-term	inhalation	local	0,375 mg/m <sup>3</sup>
	Worker DNEL, acute	inhalation	local	0,75 mg/m <sup>3</sup>
	Worker DNEL, long-term	dermal	systemic	240 mg/kg bw/day
	Worker DNEL, long-term	dermal	local	0,037 mg/cm <sup>2</sup>
	Consumer DNEL, long-term	inhalation	systemic	3,2 mg/m <sup>3</sup>
	Consumer DNEL, long-term	inhalation	local	0,1 mg/m <sup>3</sup>
	Consumer DNEL, long-term	dermal	systemic	102 mg/kg bw/day
	Consumer DNEL, long-term	dermal	local	0,012 mg/cm <sup>2</sup>
	Consumer DNEL, long-term	oral	systemic	4,1 mg/kg bw/day

### Flow 300

Revision date: 27.11.2024

Page 6 of 13

#### PNEC values

CAS No	Substance	Value
Environmental compartment		
13463-67-7	titanium dioxide	
Freshwater		0,184 mg/l
Freshwater (intermittent releases)		0,193 mg/l
Marine water		0,018 mg/l
Freshwater sediment		1000 mg/kg
Marine sediment		100 mg/kg
Micro-organisms in sewage treatment plants (STP)		100 mg/l
Soil		100 mg/kg
50-00-0	Formaldehyde ... %	
Freshwater		0,44 mg/l
Freshwater (intermittent releases)		4,44 mg/l
Marine water		0,44 mg/l
Freshwater sediment		2,3 mg/kg
Marine sediment		2,3 mg/kg
Micro-organisms in sewage treatment plants (STP)		0,19 mg/l
Soil		0,2 mg/kg

#### Additional advice on limit values

Abbreviations and acronyms: Germany

A: respirable fraction

E: inhalable fraction

Y: A risk of reproductive effects needs not to be feared if the occupational exposure limit value (AGW) and the biological limit value (BGW) is kept

#### 8.2. Exposure controls

##### Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn.

##### Individual protection measures, such as personal protective equipment

##### Eye/face protection

Dust protection eye glasses EN 166

##### Hand protection

By long-term hand contact: Tested protective gloves must be worn (EN ISO 374).

The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances.

Suitable material: NBR (Nitrile rubber)

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Thickness of the glove material, Breakthrough times and swelling properties of the material must be taken into consideration. Replace when worn.

##### Skin protection

Wear suitable protective clothing. (dust-tight)

### Flow 300

Revision date: 27.11.2024

Page 7 of 13

#### Respiratory protection

Respiratory protection necessary at: exceeding exposure limit values, insufficient ventilation, dust formation  
Use appropriate respiratory protection. Full-/half-/quarter-face masks (EN 136/140) P1+A Formaldehyd  
Observe the wear time limits according GefStoffV in combination with the rules for using respiratory protection apparatus (BGR 190). The filter class must be suitable for the maximum contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If the concentration is exceeded, self-contained breathing apparatus must be used.

#### Thermal hazards

No information available.

#### Environmental exposure controls

Clear spills immediately.  
Keep container tightly closed.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state:	solid (Powder )	
Colour:	verschieden	
Odour:	No data available	
Melting point/freezing point:		No data available
Boiling point or initial boiling point and boiling range:		No data available
Flammability:		Non-flammable.
Lower explosion limits:		No data available
Upper explosion limits:		No data available
Flash point:		No data available
Auto-ignition temperature:		No data available
Decomposition temperature:		No data available
pH-Value:		No data available
Water solubility:		poorly soluble
Solubility in other solvents		
No data available		
Partition coefficient n-octanol/water:		No data available
Vapour pressure:		No data available
Density:		No data available
Relative vapour density:		No data available

### 9.2. Other information

#### Information with regard to physical hazard classes

##### Explosive properties

The product is not: Explosive

##### Sustaining combustion:

No data available

##### Self-ignition temperature

Solid:

No data available

Gas:

No data available

##### Oxidizing properties

The product is not: oxidising

#### Other safety characteristics

##### Evaporation rate:

No data available

##### Solid content:

100%

##### Sublimation point:

No data available

##### Softening point:

No data available

##### Pour point:

No data available

**Flow 300**

Revision date: 27.11.2024

Page 8 of 13

Flow time:

No data available

**Further Information**

No information available.

**SECTION 10: Stability and reactivity**

**10.1. Reactivity**

No known hazardous reactions.

**10.2. Chemical stability**

The product is chemically stable under recommended conditions of storage, use and temperature.

**10.3. Possibility of hazardous reactions**

Explosion hazard with: Aluminium Powder (Heat)

**10.4. Conditions to avoid**

Avoid dust formation.

**10.5. Incompatible materials**

Strong acid  
Reducing agent, strong  
Aluminium Powder,

**10.6. Hazardous decomposition products**

No information available.

**Further information**

No data available

**SECTION 11: Toxicological information**

**11.1. Information on hazard classes as defined in GB CLP Regulation**

**Acute toxicity**

Based on available data, the classification criteria are not met.

**ATEmix calculated**

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
50-00-0	Formaldehyde ... %				
	oral	LD50 460 mg/kg	Rat	Kefo J Med 24: 19-37 (1975)	OECD Guideline 401
	dermal	ATE 300 mg/kg			
	inhalation (4 h) vapour	LC50 < 463 mg/l	Rat	Study report (2015)	OECD Guideline 403
	inhalation dust/mist	ATE 0,05 mg/l			

**Irritation and corrosivity**

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation: Based on available data, the classification criteria are not met.

**Sensitising effects**

Based on available data, the classification criteria are not met.

**Carcinogenic/mutagenic/toxic effects for reproduction**



**Flow 300**

Revision date: 27.11.2024

Page 9 of 13

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

**STOT-single exposure**

Based on available data, the classification criteria are not met.

**STOT-repeated exposure**

Based on available data, the classification criteria are not met.

**Aspiration hazard**

Based on available data, the classification criteria are not met.

**11.2. Information on other hazards**
**Endocrine disrupting properties**

No information available.

**Further information**

Calculation method.

**SECTION 12: Ecological information**
**12.1. Toxicity**

Based on available data, the classification criteria are not met.

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h]   [d]	Species	Source	Method
50-00-0	Formaldehyde ... %					
	Acute fish toxicity	LC50 mg/l	27,57	96 h	Ictalurus punctatus	Prog.Fish-Cult. 20(1):8-15 (1958) acute toxicity test; "static bioassay"
	Acute algae toxicity	ErC50 mg/l	3,48	72 h	Desmodesmus subspicatus	Ecotoxicol Environ Safety 54: 346-354 (2) OECD Guideline 201
	Acute crustacea toxicity	EC50	5,8 mg/l	48 h	Daphnia pulex	Water, Air and Soil Pollution 97, 315-32 OECD Guideline 202
	Fish toxicity	NOEC mg/l	>= 48	28 d	Oryzias latipes	NTIS (ed.) Compendium of the FY1988 and OECD Guideline 215
	Crustacea toxicity	NOEC mg/l	>= 6,4	21 d	Daphnia magna	Study report (2008) OECD Guideline 211
	Acute bacteria toxicity	EC50 )	19 mg/l (	3 h	Activated sludge	Chemosphere 14, 1239-1251 (1985) OECD Guideline 209

**12.2. Persistence and degradability**

Product/Substance is inorganic.

**12.3. Bioaccumulative potential**

No information available.

**Partition coefficient n-octanol/water**

CAS No	Chemical name	Log Pow
50-00-0	Formaldehyde ... %	0,35

**BCF**

CAS No	Chemical name	BCF	Species	Source
50-00-0	Formaldehyde ... %	< 1	Paralichthys olivaceus and Sebastes schlegeli	Aquaculture 194, 253

**12.4. Mobility in soil**

No information available.

### Flow 300

Revision date: 27.11.2024

Page 10 of 13

#### **12.5. Results of PBT and vPvB assessment**

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

#### **12.6. Endocrine disrupting properties**

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

#### **12.7. Other adverse effects**

No information available.

#### **Further information**

Water solubility: practically insoluble

Do not allow to enter into surface water or drains.

### **SECTION 13: Disposal considerations**

#### **13.1. Waste treatment methods**

##### **Disposal recommendations**

Dispose of waste according to applicable legislation.

Recycle according to official regulations.

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

Non hazardous waste according to Directive 2008/98/EC (waste framework directive).

##### **List of Wastes Code - residues/unused products**

170802 CONSTRUCTION AND DEMOLITION WASTES (INCLUDING EXCAVATED SOIL FROM CONTAMINATED SITES); gypsum-based construction material; gypsum-based construction materials other than those mentioned in 17 08 01

##### **Contaminated packaging**

Dispose of waste according to applicable legislation.

Recycle according to official regulations.

Completely emptied packages can be recycled.

### **SECTION 14: Transport information**

#### **Land transport (ADR/RID)**

**14.1. UN number or ID number:** No dangerous good in sense of this transport regulation.

#### **Inland waterways transport (ADN)**

**14.1. UN number or ID number:** No dangerous good in sense of this transport regulation.

#### **Marine transport (IMDG)**

**14.1. UN number or ID number:** No dangerous good in sense of this transport regulation.

#### **Air transport (ICAO-TI/IATA-DGR)**

**14.1. UN number or ID number:** No dangerous good in sense of this transport regulation.

#### **14.5. Environmental hazards**

ENVIRONMENTALLY HAZARDOUS: No

#### **14.6. Special precautions for user**

No information available.

#### **14.7. Maritime transport in bulk according to IMO instruments**

No information available.

#### **Other applicable information**

No information available.

### **SECTION 15: Regulatory information**

#### **15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

### Flow 300

Revision date: 27.11.2024

Page 11 of 13

#### EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 28, Entry 75

Information according to Directive 2012/18/EU (SEVESO III): Not subject to 2012/18/EU (SEVESO III)

#### Additional information

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)  
Classification according to Regulation (EC) No 1272/2008 [CLP]  
COMMISSION REGULATION (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)  
DIRECTIVE (EU) 2018/851 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 30 May 2018 amending Directive 2008/98/EC on waste  
DIRECTIVE 2008/98/EC OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 19 November 2008 on waste and repealing certain Directives  
Council Directive 89/654/EEC of 30 November 1989 concerning the minimum safety and health requirements for the workplace (first individual directive within the meaning of Article 16 (1) of Directive 89/391/EEC)

#### National regulatory information

Water hazard class (D): 1 - slightly hazardous to water

#### Additional information

Germany  
Ordinance on systems for handling water-polluting substances (AwSV)  
Hazardous Substances Ordinance (GefStoffV)

TRGS 201 TRGS 220 TRGS 400 TRGS 402 TRGS 500 TRGS 509 TRGS 510 TRGS 900

#### 15.2. Chemical safety assessment

For the following substances of this mixture a chemical safety assessment has been carried out:  
Formaldehyde ... %

#### SECTION 16: Other information

## Abbreviations and acronyms

Acute Tox: Acute toxicity  
Skin Corr: Skin corrosion  
Eye Dam: Eye damage  
Skin Sens: Skin sensitisation  
Muta: Germ cell mutagenicity  
Carc: Carcinogenicity  
ADR: Accord européen sur le transport des marchandises dangereuses par Route  
(European Agreement concerning the International Carriage of Dangerous Goods by Road)  
RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer  
(Regulations Concerning the International Transport of Dangerous Goods by Rail)  
IMDG: International Maritime Code for Dangerous Goods  
IATA: International Air Transport Association  
IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)  
ICAO: International Civil Aviation Organization  
ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)  
CLP: Classification, labelling and Packaging  
CAS-No.: Chemical Abstracts Service  
REACH: Registration, Evaluation and Authorization of Chemicals  
GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals  
UN: United Nations  
CAS: Chemical Abstracts Service  
DNEL: Derived No Effect Level  
DMEL: Derived Minimal Effect Level  
PNEC: Predicted No Effect Concentration  
ATE: Acute toxicity estimate  
LC50: Lethal concentration, 50%  
LD50: Lethal dose, 50%  
LL50: Lethal loading, 50%  
EL50: Effect loading, 50%  
EC50: Effective Concentration 50%  
ErC50: Effective Concentration 50%, growth rate  
EG-No: European Inventory of Existing Chemical Substances" (EINECS)  
NOEC: No Observed Effect Concentration  
BCF: Bio-concentration factor  
PBT: persistent, bioaccumulative, toxic  
vPvB: very persistent, very bioaccumulative  
MARPOL: International Convention for the Prevention of Marine Pollution from Ships  
IBC: Intermediate Bulk Container  
SVHC: Substance of Very High Concern  
TWA: time-weighted-average  
WEL: working place exposure limits  
TRGS: Technische Regeln für Gefahrstoffe

## Key literature references and sources for data

<https://www.reach-clp-biozid-helpdesk.de/DE/Home>  
ECHA

## Relevant H and EUH statements (number and full text)

H301	Toxic if swallowed.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H330	Fatal if inhaled.
H341	Suspected of causing genetic defects.
H350	May cause cancer.

## Safety Data Sheet

according to UK REACH Regulation

### Flow 300

Revision date: 27.11.2024

Page 13 of 13

EUH210 Safety data sheet available on request.  
EUH212 Warning! Hazardous respirable dust may be formed when used. Do not breathe dust.

#### Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

---

*(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*